



Country Casual



Boutique Jacket

Petticurl

fashions

designed by

Dritz

John Dritz & Sons

LEAFLET 159 • 20 CENTS



Town Casual...212/2

Directions are for Small. Changes for Medium and Large are in parentheses.

MATERIALS:

9 (10-11) 2 ounce skeins Dritz Petticurl, Article 212
 Size 8 needles (14 inches)
 Holder

GAUGE: 3 sts = one inch 5 rows = one inch

NOTE: Purl side of stockinette st is right side of work. The sizes of this design are based on a definite gauge (stitches to the inch). If there are more or less stitches per inch than the specified gauge, a larger or smaller needle should be used.

BACK: With size 8 needles, cast on 44 (48-52) sts. Work in ribbing of K 1 P 1 for 4 rows. Then continue in stockinette st until 10 inches from start. Increase one st each side every other row 2 times, cast on 4 sts beginning next 2 rows, 6 sts beg next 12 rows - 128 (132-136) sts. Work even until sleeve edge measures $4\frac{1}{4}$ ($4\frac{1}{2}$ - $4\frac{3}{4}$) inches. Bind off 6 sts beg next 18 rows, 4 (5-6) sts beg next 2 rows. On remaining 12 (14-16) sts work K 1 P 1 ribbing for 4 rows. Bind off in ribbing.

POCKET LININGS: (make 2) Cast on 9 sts. Work in stockinette st for 12 rows. Slip all sts to holder.

LEFT FRONT: Fronts begin with stockinette st. Bottom ribbing is picked up later. With size 8 needles, cast on 23 (25-27) sts. Keeping side edge straight, inc one st at front edge every other row 2 times - 25 (27-29) sts. Work even for 6 rows more. Next row: Work 8 (9-10) sts in stockinette, work next 9 sts in K 1 P 1 ribbing. Finish row in stockinette. Repeat last row once more. Next row: Work to ribbing sts, bind off the 9 sts in ribbing firmly, finish row in stockinette. Next row: Work in stockinette to bound-off sts, work across 9 sts of pocket lining, finish row in stockinette. Continue straight until 9 inches from start. Keeping front edge straight inc one st at side every other row 2 times, cast on 4 sts once, 6 sts 6 times - 67 (69-71) sts. Work even until sleeve edge measures $4\frac{1}{4}$ ($4\frac{1}{2}$ - $4\frac{3}{4}$) inches. From sleeve end, bind off 6 sts 5 times. Then continue at shoulder, and shape neck at same time as follows: From arm end bind off 6 sts 4 times more, 4 (5-6) sts once; and at neck, dec one st every other row 4 times, bind off remaining 5 (6-7) sts.

RIGHT FRONT: Work as for left front reversing all shaping.

FINISHING: Block pieces to desired measurements. Right front border: With purl side facing, pick up 23 (25-27) sts along lower edge, 11 sts closely spaced around shaping of front edge, 47 (48-49) sts evenly spaced across front straight edge, 25 (26-27) sts around shaped neck edge to shoulder - 106 (110-114) sts. Work ribbing for 3 rows. Bind off in ribbing, *working loosely at shaped areas at neck and lower edge* and firmly along straight front edges. Left front border: Work to correspond, starting at shoulder with purl side facing. Sew upperarm and shoulder seams matching carefully at neck borders. Sleeve borders. With purl side facing, pick up 26 (28-30) sts at sleeve edge. Work 3 rows ribbing. Bind off loosely on fourth row in ribbing. Sew underarm and side seams. Sew pocket facings in place. Block all finished work lightly.

Beverly Hills...212/1

Directions are for size 10. Changes for sizes 12 and 14 are in parentheses.

MATERIALS: 8 (9-10) 2 ounce skeins Dritz Petticurl, Article 212
Size 8 needles (14 inches)
5 Rhinestone buttons
5 spools Dritz Glint, Article 271

GAUGE: 3 sts = one inch 5 rows = one inch

NOTE: We suggest that this jacket be made of any one of the wonderful Petticurl tweeds or, the solid shades of Petticurl in combination with Glint.

BACK: Cast on 32 (36-40) sts. Work in ribbing of K 1 P 1 for 4 rows. Then continue in stockinette st. Increase one st each side every fourth row 7 times, every other row 2 times, cast on 4 sts beginning next 2 rows, 6 sts beg next 12 rows—130 (134-138) sts. Work even until sleeve edge measures $4\frac{1}{2}$ ($4\frac{3}{4}$ -5) inches. Bind off 6 sts beg 10 rows. Next row: Place markers after 56 (58-60) sts and after next 18 sts. Bind off first 6 sts, work to marker, bind off next 18 sts, work remaining 56 (58-60) sts. Continue on last 56 (58-60) sts as follows: From arm end bind off 6 sts 3 times more, 4 (6-8) sts once; and at the same time, for neck, bind off 2 sts 2 times. Work even to end of shoulder. Join yarn at other side of neck and work as follows: From arm end bind off 6 sts 2 times more, 4 (6-8) sts once; and at neck edge, bind off 2 sts 2 times. Work even to end of shoulder.

LEFT FRONT: Cast on 18 (20-22) sts. Work in ribbing for 4 rows. Then continue in stockinette st. Work straight at front edge, and at side inc one st every fourth row 7 times, every other row 2 times, cast on 4 sts once, 6 sts 6 times—67 (69-71) sts. Work even until sleeve edge measures $4\frac{1}{2}$ ($4\frac{3}{4}$ -5) inches. Then work shoulder and neck at same time as follows: From sleeve end bind off 6 sts 8 times, 4 (6-8) sts once; and at neck edge dec one st, then bind off 10 sts once, 2 sts 2 times, work even to end of shoulder shaping.

RIGHT FRONT: Work as for left front reversing all shaping.

FINISHING: Block pieces, pinning out to measurements desired. Sew upperarm and shoulder seams. Sleeve border: With right side facing pick up 28 (30-32) sts at sleeve edge. Work in K 1 P 1 ribbing for 4 rows. Bind off. Neck and front border: Starting at lower right edge pick up 50 (52-54) sts to decreased corner of neck, pick up 4 sts closely spaced around corner, pick up 30 sts to shoulder seam, 38 sts across back neck edge, 30 sts to left neck corner, 4 sts around corner, 50 (52-54) sts to lower left edge—106 (110-114) sts. Work in ribbing of K 1 P 1 to lower right corner. Next Row: K 1, P 1, K 1, * K 2 tog, place marker, work in established ribbing pattern across next 8 sts; repeat from * four times more, continue in ribbing to end of row. Next Row: Work in ribbing to marker, * P 1, take up loop between last st and next st and K through this loop, P 1 K 1 to next marker; repeat from * to end of row thus forming 5 small openings for buttonholes. Bind off fourth row in ribbing pattern. Sew underarm and side seams. Block all finished work lightly. Sew buttons on left front border.



Petticurl

*An exciting bulky fashion
yarn. Souffle-light. Deep,
rich texture...warmth
without weight. Both
unusual tweeds and
velvet-like solid shades.*



Demi Coat

Directions are for Small. Changes for Medium and Large are in parentheses.

GAUGE: 3 sts = one inch 5 rows = one inch

The sizes of these designs are based on a definite gauge (stitches to the inch). If there are more or less stitches per inch than the specified gauge, a larger or smaller needle should be used.

Demi Coat...212/3

9 (10-11) 2 ounce skeins Dritz Petticurl, Article 212
Size 8 needles
Size G aluminum crochet hook

BACK: Work in stockinette st throughout with *purl* side as right side. Cast on 86 (92-96) sts. Work in ribbing of K 1 P 1 for one row. Then work in stockinette until piece measures 6 inches from start. Bind off 2 sts beginning next 2 rows. Mark center 8 sts. Decrease one st at each side of these 8 sts every fourth row 11 (12-12) times; and at the same time, dec one st each end of every other row 23 (24-25) times. Slip remaining 14 (16-18) sts to holder.

LEFT FRONT: Cast on 24 (28-32) sts. Work one row ribbing. Then working in stockinette and keeping side edge straight, increase one st at front edge every other row 6 times—30 (34-38) sts. Work even until side edge measures 6 inches. At side edge bind off 2 sts once, dec one st every other row 23 (24-25) times; at the same time when 11 (12-13) raglan decreases have been worked, begin ribbing of K 1 P 1 on 2 end sts at neck edge, then work 2 sts more in ribbing every fourth row until there are 6 (8-10) sts in ribbing. When 19 (20-21) raglan decreases have been worked, slip to holder 3 (6-9) sts at neck edge, dec one st at same edge every other row 2 times, work even to end of raglan decreases.

RIGHT FRONT: Work as for left front reversing all shaping.

SLEEVES: Cast on 28 (30-32) sts. Work one row of K 1 P 1 ribbing. Continue in stockinette st. Inc one st each side every fourth

row 10 times—48 (50-52) sts. Work even until 12 inches from start. Dec one st each end of every other row 23 (24-25) times. Slip remaining 2 sts to holder.

FINISHING: Block pieces to desired measurements. Sew raglan seams matching 2 bound-off sts at front and back underarms to ends of rows at sleeve underarms. Collar: With wrong (knit) side facing, take up 3 (6-9) sts from holder at front neck edge, join yarn and pick up 4 sts along shaped neck edge, knit across 2 sts of sleeve, 14 (16-18) sts of back, 2 sts of other sleeve, pick up 4 sts along other front edge, work remaining 3 (6-9) sts in established ribbing—32 (40-48) sts. Keeping all sts in ribbing, work short rows as follows: Work 18 (22-26) sts, turn; sl 1, work 3, turn; sl 1, work 7, turn; sl 1, work 11, turn; sl 1, work 15, turn; sl 1, work 19, turn; sl 1, work 23, turn; sl 1, work 27, turn; sl 1, work remaining 29 (33-37) sts; work all 32 (40-48) sts. Continue in ribbing for 4 inches. Bind off loosely in ribbing. Sew underarm and side seams. Work one row single crochet at all jacket edges, including collar. Work one row sc at sleeve edges. Block all finished work lightly.

Boutique Jacket...212/5

9 (10-11) 2 ounce skeins Dritz Petticurl, Article 212
5 100 yard spools Dritz Glint, Article 271
Size 8 needles (14 inches)
Size 00 steel crochet hook
6 buttons

BACK: Work with one strand each of yarn and glint throughout. Cast on 36 (40-44) sts. Work in ribbing of K 1 P 1 for 4 rows. Then continue in stockinette st. Increase one st each side every fourth row 7 times, every other row 2 times, cast on 4 sts beginning next 2 rows, 6 sts beg next 12 rows—134 (138-142) sts. Work even until sleeve edge measures 4½ (5-5½) inches. Bind off 6 sts beg next 14 rows, 8 (9-10) sts beg next 4 rows. Bind off remaining 18 sts.

LEFT FRONT: Cast on 20 (22-24) sts. Work in ribbing of K 1 P 1 for 4 rows. Continue in stockinette st. Keeping front edge straight, at side inc one st every fourth row 7 times, every other row 2 times, cast on 4 sts once, 6 sts 6 times—69 (71-73) sts. Work even until sleeve edge measures 4½ (5-5½) inches. Bind off 6 sts from sleeve edge. Then continue shoulder shaping and work neck at same time as follows: For shoulder bind off 6 sts 6 times more, then bind off 8 (9-10) sts twice; and at neck edge bind off 2 sts 4 times, decrease one st every other row 3 times, work even to end of shoulder.

RIGHT FRONT: Work as for left front reversing all shaping.

COLLAR: Cast on 48 sts. Work in ribbing of K 1 P 1 for 2 rows. K next row increasing 16 sts evenly across—64 sts. Work short rows as follows: P 44, turn; sl first st, K 23, turn; sl first st, P all remaining 43 sts. K next row increasing 12 sts evenly across—76 sts. Work even in stockinette until collar measures 3½ inches from start. Bind off loosely. Work one row single crochet around 3 sides (ends and bound-off row) rounding out edge.

FINISHING: Block pieces. Sew upperarm and shoulder seams. Sew underarm and side seams. Sew cast-on edge of collar to neck edge. Work one row sc at left front edge. Mark right front edge for 6 buttonholes ¼ inch below neck edge, ½ inch above lower edge and at 4 places evenly spaced between. Work one row sc, skipping one st and working ch-1 over each marker. Work one row sc around sleeve edges. Block all finished work lightly. Sew buttons on left front.

Country Casual...212/4

9 (10-12) 2 ounce skeins Dritz Petticurl, Article 212
Size 8 needles

FRONT and BACK: are worked alike: Cast on 52 (56-60) sts. Work in ribbing of K 1 P 1 for 4 rows. Then continue in stockinette st. Work even until 11 inches from start. Increase one st each side every other row 2 times; cast on 4 sts beginning next 2 rows, 6 sts beg next 12 rows—136 (140-144) sts. Work even until sleeve edge measures 4½ (5-5½) inches. Bind off 6 sts beg next 16 rows, 4 (6-8) sts beg next 2 rows. On remaining 32 sts work K 1 P 1 ribbing for 4 rows. Bind off loosely.

FINISHING: Block. Sew upperarm and shoulder seams. Lap front neck border over back and tack in place on shoulder. Sleeve Borders: With right side facing, pick up 28 (32-36) sts at sleeve edge. Work in K 1 P 1 ribbing for 4 rows. Bind off. Sew underarm and side seams. Block all finished work lightly.