

12-Inch Fashion Doll Rose Wedding Dress Crochet Pattern



By:
Donna Collinsworth
Of
[Donna's Crochet Designs](#)

All rights are held by the author.
No one can reproduce in any manner without written permission from the author



MATERIAL:

1025 yds white thread, size 7 crochet hook, needle large enough to take crochet thread, 5 snaps, sewing needle and sewing thread, No-sew glue (optional).

Gauge: 8 dc = 1", 5 dc rows = 1", 9 sc = 1", 5 sc rows = 1".

BODICE:

ROW 1: With number seven steel hook and white thread, ch-32, sc in 2nd ch from hook, sc ea ch across, ch-1, turn. (31 sc)

ROW 2: Sc ea st across, ch-1, turn.

ROW 3: Sc 1st 11 sts, 2 sc next st, sc next 7, 2 sc next, sc last 11, ch-1, turn. (33 sts)

ROW 4: Rep Row 2.

ROW 5: Sc 1st 9 sts, 2 sc next, sc next 13, 2 sc next, sc last 9 sts, ch-1, turn. (35 sts)

ROW 6: Rep Row 2.

ROW 7: Sc 1st 8 sts, 2 sc next, sc next 3, 2 sc next, sc next 9, 2 sc next, sc next 3, 2 sc next, sc last 8 sts, ch-1, turn. (38 sts)

ROW 8: Rep Row 2.

ROW 9: Sc 1st 10 sts, 2 sc next, sc next 4, 2 sc next, sc next 6, 2 sc next, sc next 4, 2 sc next, sc last 10 sts, ch-1, turn. (42 sts)

ROW 10: Rep Row 2.

ROW 11: Sc 1st 16 sts, 2 sc next, sc next 8, 2 sc next, sc last 16 sts, ch-1, turn. (44 sts)

ROW 12: Rep Row 2.

ROW 13: Sc 1st 16 sts, 2 sc next, sc next 2, 2 sc next, sc next 4, 2 sc next, sc next 2, 2 sc next, sc last 16 sts, ch-1, turn. (48 sts)

ROW 14: Sc 1st 18 sts, 2 sc next, hdc next, dc next 8, hdc next, 2 sc next, sc last 18 sts, ch-1, turn. (50 sts)

ROW 15: For Back: sc 1st 11 sts; Armhole: ch-9, skip next 5 sts; Front: sc next 18; Armhole: ch-9, skip next 5 sts; Back: sc last 11 sts, ch-1, turn. (58 sts + ch)

ROW 16: Sc 1st 30 sts and ch, sk next st, sc last 27 sts and ch, ch-1, turn. (57 sts)

ROW 17-18: Rep Row 2.

ROW 19: Sl st in ea st across. Fasten off.

BODICE RUFFLE:

ROW 1: With 7 hook and white thread and rt side of bodice facing you, join around 1st sc of Row 18, working around ea st sc next 22, next 7 work 1 sc around 1 st in next 7 rows as you graduate down (moving down 1 st ea row like stair steps) to center double crochet in Row 14, go back up working 1 st in ea row just like you did going down until you reach Row 18 (V shape formed), sc around ea remaining st in Row 18, ch-1, turn.

ROW 2: Sc same sp as ch-1, *(dc, ch-1, dc, ch-1, dc) next st, sc next, rep from * around, turn.

ROW 3: Sl st to 2nd dc, ch-1, sc same sp as ch-1, *(dc, ch-1, dc, ch-1, dc) next sc, sc 2nd dc, rep from * around, turn.

ROW 4: Ch-3, sc next st, *ch-4, sc next st, ch-3, sc next st, rep from * around. fasten off.

CENTER MOTIF:

RND 1: With white thread and size 7 hook, ch-7, sc 2nd ch from hook, *(dc, ch-1, dc, ch-1, dc) next ch, sc next ch*, rep from * across ending with (dc, ch-1, dc, ch-1, dc) in last ch, turn so

you will be now working bottom of foundation ch, sc next ch, rep between * *, ending with (dc, ch-1, dc, ch-1, dc), sl st top beg sc, DO NOT TURN,

RND 2: Ch-4 (1st dc + ch-1), (dc, ch-1, dc) same st as ch-4, * sc next st, (dc, ch-1, dc, ch-1, dc) next st, rep from * around, sl st in 3rd ch of beg ch-4.

RND 3: *Ch-3, sc next st, ch-4, sc next st< rep from * around, sl st base of beg ch-3, fasten off.

Sew or glue to center front of bodice above V in bodice ruffle.

Sew or glue one rose in center of motif.

Sew or glue three snaps to back of bodice.

SLEEVE:

RND 1: With white thread and 7 hook and rt side of bodice facing you, join in 3rd sc on bottom 5 sts of armhole, ch-1, sc next st, hdc next, (2 dc next) 9 times, hdc next, sc next 2, sl st top of beg ch-1, turn. (23 sts)

RND 2: Ch-1, sc same sp as ch-1, sc next 2 sts, hdc next 2, (dc next, 2 dc next) 7 times, hdc next 2, sc next 2, sl st top beg sc, turn. (30 sts)

RND 3: Ch-1, sc same sp as ch-1, sc next 4 sts, hdc next 3, (dc next, 2 dc next) 7 times, hdc next 3, sc next 5, sl st top of beg sc, turn. (37 sts)

RND 4: ch-1, sc ea sc, hdc ea hdc, dc ea dc, sl st top beg sc, turn.

RND 5: Ch-1, sc ea sc, hdc ea hdc, (dec dc next 2 dc, dc next 2) across to last 2 dc, dec dc next 2 dc, hdc ea hdc, sc ea sc, sl st top beg sc, turn. (32 sts)

RND 6-7: Rep Rnd 4.

RND 8: Ch-1, sc ea sc, hdc ea hdc, (dec dc next 2 dc, dc next 2) across dc, hdc ea hdc, sc ea sc, sl st top beg sc, turn. (28 sts)

RND 9-10: Rep Rnd 4.

RND 11: Ch-1, sc ea sc, hdc ea hdc, hdc ea dc, hdc ea hdc, sc ea sc, sl st top beg sc, turn.

RND 12: Ch-2, hdc ea sc, hdc ea hdc, hdc ea sc, sl st top beg ch-2, turn.

RND 13-19: Ch-2, hdc ea st around, sl st top beg ch-2, turn.

RND 20-21: Ch-2, work hdc dec around, sl st top beg ch-2, turn.

RND 22: Ch-1, sc same st as ch-1, [(dc, ch-1, dc, ch-1, dc) next st, sc next st] 3 times, sl st top beg sc, DO NOT TURN.

RND 23: ch-4 (1st dc + ch-1), (dc, ch-1, dc) same st as ch-4, [sc 2nd dc, (dc, ch-1, dc, ch-1, dc) next sc] twice, sc 2nd dc, sl st ch-3 of beg ch-4, DO NOT TURN.

RND 24: *ch-3, sc next st, ch-4, sc next st, rep from * around, fasten off.

Rep for other sleeve.

SKIRT:

ROW 1: With rt sides facing you and bodice up-side-down, join with white thread in end of bodice foundation ch, ch-1, sc same st as ch-1, sc next 12 sts, 2 sc next, sc next 2, 2 sc next, sc next 13, ch-2, turn. (32 sts)

ROW 2: Hdc same st as ch-2, hdc next 3 sts, (hdc next 2, 2 hdc next) across, ch-3, turn. (42 sts)

ROW 3: Dc same st as ch-3, 2 dc next st, (dc next 2, 2 dc next) across, ch-3, turn. (55 sts)

RND 4: (Dc next 2 sts, 2 dc next st) across, sl st top beg ch-3, turn. You are now working in rounds. (71 sts)

RND 5-6: Ch-3, (dc next 3 sts, 2 dc next st) 4 times, dc across to last 16 sts, (dc next 3, 2 dc next) to end, sl st top beg ch-3, turn. (At end of Rnd 6--86 sts)

RND 7: Ch-3, dc ea st around, sl st top beg ch-3, turn.

RND 8-10: Rep Rnd 7.

RND 11: Ch-3, (dc next 6 sts, 2 dc next st) around, sl st top beg ch-3, turn. (94 sts)

RND 12-14: Rep Rnd 7.

RND 15: Ch-3, (dc next 3 sts, 2 dc next st) around, sl st top beg ch-3, turn. (113 sts)

RND 16: Rep Rnd 7.

RND 17: Rep Rnd 15. (137 sts)

RND 18-20: Rep Rnd 7.

RND 21: Rep Rnd 15. (166 sts)

RND 22-23: Rep Rnd 7.

RND 24: Rep Rnd 15. (204 sts)

RND 25-32: Rep Rnd 7.

RND 33-34: Ch-3, (dc next 3 sts, dc dec next 2 sts) around, sl st top beg ch-3, turn.

RND 35: Ch-3, (dc next st, dc dec next 2 sts) around, sl st top beg ch-3, turn.

RND 36: Ch-1, sc same st as ch-1, *(dc, ch-1, dc, ch-1, dc) next, sc next, rep from * around, sl st top beg sc. DO NOT TURN.

RND 37: Ch-4 (1st dc + ch-1), (dc, ch-1, dc) same st as ch-4, * sc next st, (dc, ch-1, dc, ch-1, dc) next, rep * around, sl st ch-3 of beg ch-4.

RND 38: Sl st 2nd dc, ch-1, *sc 2nd dc, (dc, ch-1, dc, ch-1, dc) next sc, rep from * around, sl st top beg sc.

RND 39: Rep Rnd 37.

RND 40-42: Rep Rnd 38.

RND 43: *Ch-3, sc next st, ch-4, sc next st, rep from * around, fasten off.

ROSES:

ROW 1: With white thread and size 7 hook ch-14, sc in 6th ch from hook, (ch-3, sk next ch, sc next ch) 4 times, ch-1, turn. (5 loops made)

ROW 2: (Sl st in next lp, ch-1, 5 sc in lp) twice, (sl st in next lp, ch-1, 6 sc in lp) 3 times, fasten off.

Beg with 1st petal of rose (in row 2) carefully roll up to form the rose. With needle and sewing thread tack rose tog at back to hold shape.

Make 30.

Sew or glue 28 roses around base of skirt at dec rnd 34-35.

TRAIN:

ROW 1: With white ch-23, dc 3rd ch from hook, dc ea ch across, turn. (21 sts)

NEXT ROW: Ch-3, dc ea st across, turn.

Rep this rnd until piece measure 17 1/2".

THEN: Ch-3, (dc dec next 2 sts) twice, dc across, turn.

NEXT: Ch-3, dc across to last 4 sts, (dc dec next 2) twice, turn.

Alternate these two rows for a total of eight times and only 2 sts remain. Fasten off.

TRAIN EDGING:

RND 1: With white join in any corner, ch-4 (dc + ch-1), (dc, ch-1, dc) same st as ch-4, *sc next st, (dc, ch-1, dc, ch-1, dc) next st, rep from * around in every st and row, sl st ch-3 of beg ch-4, DO NOT TURN.

RND 2-5: Rep as for Rnd 38-41 on skirt. Fasten off end Rnd 5.

TRAIN TRIM:

ROW 1: With white thread join around 1st st in row, working around sts, sc ea st across, turn.

ROW 2: Ch-4, (1st dc + ch-1), (dc, ch-1, dc) same st as ch-4, *sc next st, (dc, ch-1, dc, ch-1, dc) next, rep from * across ending with a sc, turn.

ROW 3: Sl st to 2nd dc, ch-1, *sc 2nd dc, (dc, ch-1, dc, ch-1, dc) sc, rep from * across, turn.

ROW 4: Rep Row 3.

ROW 5: *Ch-3, sc next st, ch-4, sc next, rep from * across, fasten off.

Work trim on body of train as follows:

1st dc row. (Skip two rows, work trim) twice. Skip next 16 rows. Work trim next row. (Skip 2 rows, work trim) twice. Skip next 14 rows. Work trim next row. (Skip 2 rows, work trim) twice. Skip next 17 rows. Work trim next row. (Skip 2 rows, work trim) 3 times.

TUCKING:

Measure down from the top 2", tuck 1 1/2" behind the 2" leaving a 1/2" gap at the top. Sew along top tuck edge along back. First tuck made.

Measure down 3" from First tuck, then tuck up 1 1/2" in the same way as you did for the first tuck. Again sew along tuck at top on back side. Second tuck made.

For the third and final tuck measure down 3 1/2", then tuck up 1 1/2" as you did for second tuck. Sew. Here approximately 4 1/2" should remain of the train--the pointed end.

Apply a snap in each corner of the top of the train (straight edge) and to the corresponding spot at the top of the skirt in the back.

SNOOD:

With white thread and size 7 hook, Ch-5, sl st to form a ring.

RND 1: Ch-1, 12 sc in ring, sl st top beg sc, turn.

RND 2: Ch-1, sc same st as ch-1, (Ch-3, sk a st, sc next st) 5 times, ch-3, sl st top beg sc, turn.

RND 3: Ch-1, sc in next lp, (Ch-4, sc in next lp) 5 times, ch-4, sl st top beg sc, turn.

RND 4-5: Ch-1, sc next lp, (Ch-5, sc in next lp) 5 times, ch-5, sl st top beg sc, turn.

RND 6-11: Ch-1, sc next lp, (Ch-6, sc in next lp) 5 times, ch-6, sl st top beg sc, turn.

RND 12: Ch-1, (7 sc) in ea lp around, sl st top beg sc, turn.

ROW 13: Working in front lps of sts only, sc next 21 sts, ch-1, turn, leaving the rest of the sts unworked. **YOU ARE NOW WORKING IN ROWS.**

ROW 14-22: Sc 1st st, sk next st, sc across to last 2 sts, sk next st, sc last st, turn. At the end of row 22 you should have 3 sts.

ROW 23: Sc next st, sk next st, sc next, ch-1, turn. (2 sts)

ROW 24: Sc dec, fasten off. (1 st)

Join in end of row 13, ch-1, sc same st as ch-1, sc ea row and st around of rows just worked, fasten off.

VEIL:

ROW 1: In remaining lps of sts worked in row 13, join thread, ch-1, sc same st as join,(Ch-4, sk a st, sc next st) 10 times, ch-4, turn.

ROW 2-12: (Sc next lp, ch-4) across, ch-4, turn. At the end of row 12 do not ch-4, turn.

ROW 13-16: Ch-1, sc next lp, (ch-4, sc next lp) across, ch-1, turn. At the end of row 16 fasten off.

VEIL RUFFLE:

ROW 1: Join thread in end of row 1 of veil, ch-1, evenly sc around sides and bottom lps of veil, ch-1, turn.

ROW 2: Sc 1st st, *(dc, ch-1, dc, ch-1, dc) next st, sc next st, rep from * across, turn.

ROW 3: Ch-4 (1st dc + ch-1), (dc, ch-1, dc) same st as beg ch-4, *sc 2nd dc, (dc, ch-1, dc, ch-1, dc) next sc, rep from * across, turn.

ROW 4: Ch-1, sl st to 2nd dc, *sc 2nd dc, (dc, ch-1, dc, ch-1, dc) next sc, rep from * across, turn.

ROW 5: Rep row 3.

ROW 6: Rep row 4.

ROW 7: *Ch-3, sc next st, ch-4, sc next st, rep from * across, fasten off.

Place doll's hair inside the snood pulling the snood up so that the point of row 24 is at the top front of doll's head. Secure with pins.

Sew or glue last remaining rose to center front.

Abbreviations Used In This Pattern

Ch = Chain

St = Stitch

Sl St = Slip Stitch

Sc = Single Crochet

Hdc = Half Double Crochet

Dc = Double Crochet

Rnd = Round

Beg = Beginning

Rep = Repeat

Bet = Between

Sk = Skip

Dec = Decrease

Ea = Each

Tog = Together

Lp = Loop

Sp = Space

Rt = Right

Yds = Yards

Doll Form



MATERIALS:

White yarn, G hook, cardboard, tapestry needle, stuffing,

Gauge: 4 dc = 1", 2 rows = 1"

PILLOW FORM:

With G hook and white yarn ch-51, fasten off.

ROW 1: Count over 20 ch from end, join white yarn next ch, ch-1, sc sa ch as ch-1, sc next 11 ch leaving rest of ch unworked, turn. (12 sts)

ROW 2: Ch-1, 2 sc next st, (sc next 2, 2 sc next) 3 times, sc next, 2 sc last st, turn. (18 sts)

ROW 3: Ch-2, 2 hdc next st, (hdc next 2, 2 hdc) 5 times, turn. (22 sts)

RND 4: Ch-3, dc ea st across, join with a sl st beg ch-3, turn. **YOU ARE NOW WORKING IN RND.**

RND 5: Ch-3, 2 dc next st, (dc next 2, 2 dc next) 7 times, sl st beg ch-3. (30 sts)

RND 6-7: Rep Rnd 4.

RND 8: Ch-3, dc next 3 sts, 2 dc next, (dc next 4, 2 dc next) 5 times, sl st beg ch-3, turn. (36 sts)

RND 9-10: Rep Rnd 4.

RND 11: Ch-3, dc next 4 st, 2 dc next, (dc next 5, 2 dc next) 5 times, sl st beg ch-3, turn.
(42 sts)

RND 12-13: Rep Rnd 4.

RND 14: Ch-3, dc next 5 sts, 2 dc next, (dc next 6, 2 dc next) 5 times, sl st beg ch-3, turn.
(48 sts)

RND 15-16: Rep Rnd 4 fastening off after Rnd 16.

BASE:

With white yarn and G hook ch-6, sl st to form a ring.

RND 1: Ch-3, 17 dc in ring, sl st to beg ch-3, turn. (18 sts)

RND 2: Ch-3, dc next st, (2 dc next, dc next 2) 5 times, 2 dc next, sl st beg ch-3, turn. (24
sts)

RND 3: Ch-3, dc next st, (2 dc next, dc next 2) 7 times, 2 dc next, sl st beg ch-3, turn. (32
sts)

RND 4: Ch-3, dc next st, (2 dc next, dc next 2) 10 times, sl st beg ch-3, fasten off. (42
sts)

Using the base circle as a guide, cut out a circle of cardboard slightly smaller than base. Insert cardboard circle in bottom of pillow form. With a tapestry needle and white yarn, sew base to bottom of pillow form. Making sure cardboard is at the bottom of the pillow form, stuff with fiber fill stuffing. Make a tunnel through the stuffing with your fingers and insert fashion doll. Tie at the waist--**do not tie in a bow**. Doll should now measure 9 1/2 inches from shoulder to bottom of pillow form.

