

Green Sandal With Metallic Accents Crochet Pattern



By:
Donna Collinsworth
Of
Donna's Crochet Designs

All rights are held by the author.
No one can reproduce in any manner without written permission from the author

MATERIALS: 1 skein Lion Brand Suede yarn in Olive, size J hook or hook to obtain gauge, Lion Metallic yarn in Silver, size O (zero) crochet hook, dimensional fabric paint or Liquid Nails glue with correct size foam flip-flops, invisible (clear) sewing thread and needle to take sewing thread.

GAUGE: 2 sc = 1", 4 rows sc = 1-1/2"

FINISHED SIZE: Small: 8-1/2" long, Medium: 9-1/2" long and Large: 10-1/2" long.

PLEASE NOTE: The soles are designed to fit over the top of a foam flip-flop in the sizes stated. When making the ankle and toe straps it is important to measure to your own foot before sewing them to the sole to make correct fit.

SOLE:

RND 1: With J hook and Olive yarn ch-16 [ch-19] {ch-22}, sc 2nd ch from hook, 2 sc next ch, sc next 6 ch [sc next 9] {sc next 12 ch}, hdc next ch, dc next 4 ch, 2 dc next, 3 dc last ch, turn piece so you are now working across the bottom of the foundation ch, 2 dc next, dc next 4, hdc next, sc next 6 [sc 9] {sc 12}, 2 sc last, sl st top beg sc, ch-1, turn. (34 sts)[40 sts]{46 sts}

RND 2: 2 sc next 2 sts, sc next 8 sts [sc 11] {sc 14}, hdc next, dc next 4, 2 dc next 6, dc next 4, hdc next, sc next 8 [sc 11] {sc 14}, 2 sc last st, sl st top beg sc, ch-1, turn. (44 sts)[50 sts] {56 sts}

RND 3: 2 hdc next 3 sts, hdc next 16 [hdc 19] {hdc 22}, 2 hdc next, (hdc next st, 2 hdc next st) 4 times, hdc last 16 [hdc 19] {hdc 22}, sl st top beg hdc, ch-1, turn. (52 sts)[58 sts]{64 sts}

RND 4: Sl st next 22 sts [27 sts]{29 sts}, hdc next st, 2 dc next 4, hdc next 2 sts, sc next 3 sts, sl st remaining sts, sl st top beg sl st, fasten off. (56 sts)[62 sts]{68 sts}

-Make 2 soles, turning one over so you have a left and a right sole.

SANDAL CENTER:

RND 1: With Olive and J hook ch-7, hdc 3rd ch from hook, hdc next 3 ch, 2 hdc last ch, turn piece so you are now working across the bottom of the foundation ch (in bottom of sts just worked), hdc ea ch across, sl st top beg hdc, ch-1, turn. (10 sts)

RND 2: 2 hdc next st, hdc next 3 sts, 2 hdc next 2, hdc next 3, 2 hdc last st, sl st top beg hdc, ch-1, turn. (14 sts)

RND 3: 2 hdc next 3 sts, hdc next 3, 2 hdc next 4, hdc next 3, 2 hdc last st, sl st top beg hdc, fasten off. (22 sts)

-Make 1.

LARGE METALLIC CIRCLE:

With Silver and O hook ch-3, sl st to form a ring.

RND 1: ch-1, work 8 hdc in ring, sl st top beg hdc, ch-1, turn. (8 sts)

RND 2-4: (2 hdc next st, hdc next st) around, sl st top beg hdc, ch-1, turn. End rnd 4 fasten off. (12 sts)(18 sts)(27 sts)

-Make 2.

SMALL METALLIC CIRCLE:

Rep rnd 1-2 of lg metallic circle. Fasten off end rnd 2.

-Make 8.

With needle and thread sew one lg circle and 4 sm circles to sandal's center motif. Rep for other center motif.

STRAP:

ROW 1: With Olive and J hook ch-3, hdc 3rd ch from hook, ch-1, turn. (1 st)

ROW 2-25: Hdc only st, ch-1, turn. End row 25 fasten off.

-Make 4.

Sew one strap to the top back of center motif centering strap. Sew the second strap 2" down from the 1st strap centering. Rep for other motif.

TOE DIVIDER:

ROW 1: With Olive and J hook ch-3, hdc 3rd ch from hook, ch-1, turn. (1 st)

ROW 2-8: Hdc only st, ch-1, turn. End row 8 fasten off.

-Make 2.

Fold divider in half and pull through the bottom (edge below 2nd strap) of the finished motif so that the short ends of the divider are to the wrong side of the motif and one st separates them. Find the pt on ea sole bet your big

toe and the other toes and mark with a bit of yarn. Pull short ends of toe divider through the topside of sole to the back with one st bet. Sew ends to wrong side of sole. Rep on other sole and motif.

Measure in 3" from end of toe and sew 2nd strap to ea side of sole at this point. Measure 1-1\2" from where 2nd strap was sewn and sew 1st strap to ea side of sole at this point. Rep for other sole.

FINISHING:

If you are making sandals without the flip-flop bottom, turn sandals upside-down and squiggle lines or dots of fabric paint over entire bottom. Let dry before wearing. The fabric paint allows for grip when walking across uncarpeted floors.

If you are adding the flip-flop bottom: Cut the sides and toe divider from your flip-flops. Using the Liquid Nails glue, glue the stoppers or round pegs that hold the sides and toe divider to the bottom of the flip-flop. Let dry. On the sole or right side of the flip-flop sole, draw a line of glue around entire outer edge. Place wrong side of sandal onto flip-flop sole matching edges. Pull apart, wait 5 minutes, then replace. Let dry before wearing.

Finding Center front, back and sides

Abbreviations Used In This Pattern



Ch = Chain
 St = Stitch
 Sl St = Slip Stitch
 Sc = Single Crochet
 Hdc = Half Double Crochet
 Dc = Double Crochet
 Rnd = Round
 Beg = Beginning
 Sk = Skip
 Sp = Space
 Dec = Decrease
 Rep = Repeat
 Bet = Between
 Ea = Each
 Tog = Together

*Any item you make from one of my patterns you may sell. You can not sell or give the pattern away. All rights are held by the author.

Find more of my patterns at: www.donnascrochetdesigns.com